

## SAFETY DATA SHEET

### Section 1: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product name: Aquatex Table Adhesive

Product Description: Textile Table Adhesive

Recommended use: ART AND CRAFTS AND SCREENPRINTING

Conforms to: Australia & New Zealand standards

Details of manufacture: DYNAMIC COLOURS PTY LTD  
Unit 3/22-24 NORMAN STREET  
PEAKHURST NSW 2210  
Australia  
PH: +61 02 9533-3916  
F: +61 02 9533 8986  
E: [info@dynamiccolours.com.au](mailto:info@dynamiccolours.com.au)  
Web: [www.dynamiccolours.com.au](http://www.dynamiccolours.com.au)

### Section 2: HAZARD(S) IDENTIFICATION

Not classified as dangerous or hazardous goods.

### Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS #	Proportion: w/w
Vinyl acetate acrylic copolymer		Proprietary 55-60%
Vinyl acetate	108-05-4	< 0-0.4%
Mixed Acrylate Monomers		<5.0%
Water		To 100%

## Section 4: FIRST AID MEASURES/HEALTH HAZARD INFORMATION

### Description of first aid measures

General advice: Show this safety data sheet to the doctor in attendance

Emergency Telephone numbers: AUSTRALIAN POISONS INFORMATION CENTRE – 131 126  
NEW ZEALAND POISONS INFORMATION CENTRE – 0800764 4766  
Dynamic Colours P/L - +61 02 9533-3916

Swallowed: Ingestion may cause irritation to mouth, throat and stomach, possibly resulting in nausea and vomiting.

Eye: A mild eye irritant, may cause temporary discomfort in contact with eyes.

Skin: Prolong skin contact may result in irritation.

Inhaled: Considered not harmful due to low vapour pressure.

Chronic Effects: No known serious effects.

### First Aid

Swallowed: Rinse mouth out with water. If irritation or discomfort occurs seek medical advice.

Eye: Take out contacts and irrigate affected area with water for 15minutes. If irritation or discomfort occurs seek medical advice.

Skin: Wash affected area with soap and water, remove contaminated clothing. If irritation or discomfort occurs seek medical advice.

## Section 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use extinguish measures that are appropriate to local circumstances and surrounding environment. Product is non-flammable. No explosion hazards. Use extinguisher appropriate for primary source of fire. Product is considered stable and will not undergo hazardous polymerisation.

## Section 6: ACCIDENTAL RELEASE MEASURES

Spills:	Use absorbent material such as sand or earth to contain spill.
Disposal:	Collect and dispose of in accordance with local regulations.
Waterways:	Prevent contamination of drains and waterways.

## Section 7: HANDLING AND STORAGE

Transport & shipping:	Not classified as dangerous goods.
-----------------------	------------------------------------

## Section 8: EXPOSURE CONTROL /PERSONAL PROTECTION

Exposure standards:	None assigned
Engineering controls:	Ensure adequate ventilation
Personal protection:	Use good hygiene practices. Avoid eye contact. Wash hands and other skin contact areas after use.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White milky liquid
Colour:	white
Property	
PH:	8-9.5
Boiling Point:	100 deg c (water)
Evaporation Rate:	Slower than butyl acetate
Vapour Pressure:	As for water.
Specific Gravity:	Approx. 1.05-1.11 (H2O=1)
Flash Point:	Not Applicable
Flammability Limit:	Not Applicable
Solubility in Water:	Dispersible
Explosive Properties:	Not Applicable
Oxidising Properties:	Not Applicable

**Section 10: STABILITY AND REACTIVITY**

Chemical Stability:	Stable under normal conditions.
Hazardous Reactions:	None
Reactivity:	None
Incompatible Materials:	None

**Section 11: TOXICOLOGICAL INFORMATION**

Inhalation:	May cause irritation
Skin:	May cause allergic reactions.
Eye Contact:	May cause eye irritation.

**Section 12: ECOLOGICAL INFORMATION**

Ecotoxicity:	Unknown
--------------	---------

**Section 13: DISPOSAL CONSIDERATIONS**

Packaging:	Disposal should be in accordance with applicable laws.
Containers:	Disposal should be in accordance with applicable laws.
Paint:	Disposal should be in accordance with applicable laws.

**Section 14: TRANSPORT INFORMATION**

Products are water based and safe for transport and shipping.

**Section 15: REGULATORY INFORMATION**

Products are water based and safe for transport & shipping.

**Section 16: ANY OTHER RELEVANT INFORMATION**

All Dynamic Colours Products are manufactured in Peakhurst, Sydney Australia.

**Disclaimer:**

The information provided in this safety data sheet is correct to the best of our knowledge.